



GRANITE PAINTS

VINYL MATT EMULSION

20L

Irangi ryiza, ishema ryawe

GRANITE MATT VINYL EMULSION is a water based interior paint offering a flat, non-reflective finish, great coverage and low color (especially breatheasy versions) suitable for walls, ceilings, drying touch-dry in 1-2hours, recoatable in 4hours, and known for durability and easy application with brushes, rollers or pads, often being 99% solvent-free and good for sensitive users.

SPECIFICATIONS:

- **Finish:** Flat matt(non-reflective)
- **Base:** Water based
- **Coverage:** Approx 14-17m2 per litre (varies by surface)
- **Drying time:** Touch only in 1-2hrs, recoat in 4hours, under Normal conditions
- **Application:** Brush, Roller paint pad
- **Voc content:** Low (e.g.max 22g/l for trade matt)
- **Features:** Tough, durable, excellent opacity, good color retention, easy to clean(wipeable)

SUITABILITY

GRANITE MATT VINYL EMULSION is mainly suit for Interior & ceilings walls, Plaster, bricks, drywall, wall-paper

APPLICATION NOTES

● **PREPARATION:** Prime bone surfaces, on provide painted surfaces, ensure bound-ness.

● **VENTILATION:** Ensure good ventilation during application and drying.

● **TEMPERATURE:** Do not apply below or with humidily over 80% Cleaning equipments with warm soapy water immediately after use.

Key species include water-based composition excellent opacity good color retention and application on plaster, brick and wallpaper with spreads around 14-17m2 per litre.

Pack Size: 20Kg

Date of Mfg

JAN 01 17

FEB 02 18

MAR 03 19

APR 04 20

MAY 05 21

JUN 06 22

JUL 07 23

AUG 08 24

SEP 09 25

OCT 10 25

NOV 11 27

DEC 12 28

13 29

14 30

15 31

16

2026

2027

2028

2029

2030

2031

Sell by

JAN

FEB

MAR

APR

MAY

JUN

JUL

AUG

SEP

OCT

NOV

DEC

Days

01-15

16-31

Year

2026

2027

2028

2029

2030

2031

Manufactured by: Granite Paints, Kigali - Kabuga - Masaka, KG 1969 St

TEL: (+250) 796150360 / (+250) 0735140728 / +47 462 13 871

Email: granitepaints@gmail.com

www.granitepaints.com



GRANITE PAINTS

SILK VINYL EMULSION

20L
WHITE

Irangi ryiza, ishema ryawe

GRANITE SILK VINYL EMULSION, is a premium, water based interior paint known for its tough, washable, high-sheen finish, ideal for high-traffic areas like kitchens and bathrooms, offering excellent color retention and easy water cleanup, with drying times.

SPECIFICATIONS:

- **Finish:** High-sheen, silky finish (Semi-glo)
- **Type:** Premium water-based, co-polyemulsion
- **Use:** Interior walls and ceiling
- **Durability:** Extremely tough, washable and merits marks making ideal for high traffic
- **Touch dry:** 1-2 hours
- **Recoatable:** After 4 hours
- **Coverage:** Up to 16m² per litre on smooth surfaces (may vary)
- **Application:** Brush, Paint roller pad or airless spray.
- **Low color:** Yes
- **Voc content:** very low (E.g max 1g/L some version).

SUITABILITY

GRANITE SILK VINYL EMULSION, is mainly suit Interior & ceilings walls. Plaster, bricks, drywall, wallpaper

APPLICATION NOTES

- **PREPARATION:** Prime bone surfaces, on provide painted surfaces, ensure boundness.
- **VENTILATION:** Ensure good ventilation during application and drying.
- **TEMPERATURE:** Do not apply below or with humidity over 80% Cleaning equipments with warm soapy water immediately after use.

Key species include a 1-2 hours touch dry, 4 hours rewet up to 16m²/litre spread rate and vinyl acetate polymer binder.

Pack Size: 20Kg



Date of Mfg	Sell by
JAN 01 17	JAN ☐
FEB 02 18	FEB ☐
MAR 03 19	MAR ☐
APR 04 20	APR ☐
MAY 05 21	MAY ☐
JUN 06 22	JUN ☐
JUL 07 23	JUL ☐
AUG 08 24	AUG ☐
SEP 09 25	SEP ☐
OCT 10 25	OCT ☐
NOV 11 27	NOV ☐
DEC 12 28	DEC ☐
13 29	
14 30	Days
15 31	01-15 ☐
16	16-31 ☐
	Year
2026 ☐	2026 ☐
2027 ☐	2027 ☐
2028 ☐	2028 ☐
2029 ☐	2029 ☐
2030 ☐	2030 ☐
2031 ☐	2031 ☐

Manufactured by: Granite Paints, Kigali - Kabuga - Masaka, KG 1969 St
TEL: (+250) 796150360 / (+250) 0735140728 / +47 462 13 871

Email: granitepaints@gmail.com
www.granitepaints.com



GRANITE
PAINTS

WEATHER GUARD
EMULSION

20L

Irangi ryiza, ishema ryawe

Manufactured by: Granite Paints, Kigali - Kabuga - Masaka, KG 1969 St
TEL: (+250) 796150360 / (+250) 0735140728 / +47 462 13 871

GRANITE WHEATHER GUARD EMULSION, is a quality pure acrylic emulsion and Exterior based with maximum protection against harsh environment, with durability, flexibility and resistant to heavy rain as well as coastal conditions.

It features a luxurious satin smooth finish that makes ideal for interior and exterior application and makes it easy to clean.

SPECIFICATIONS:

- **Finish:** Ranges from matt to sheen
- **Recoat time:** 3-4 hours (Primer-coat) or 4 hours (primer-plast)
- **Coverage/spreading rate:** The spreading rate on the product's texture and the application method (E.g: a fine texture might cover 3m2/L while a course one migh tcover 1-1,5m2/L).
- **Base:** Water-based emulsion
- **Thinning:** supplied ready for use the fix coat can be thinned with up to 15% clean water if needed.
- **Application method:** Typically applied by brush, roller, or spray.

- **Water resistance:** This products features a hydrophobic properties creating a water tight barrier that resists moisture intrur-sion leaks and wind-driven rain.

APPLICATION NOTES

- **PREPARATION:** Prime bone surfaces, on provide painted surfaces, ensure bound-ness.
- **VAPORS PERMEABILITY:** Allows trapped water vapors to pass through the walls, which helps resist blistering.
- **DRYING & CURING:** Fast drying time (touch dry in approximately 30mins re-coating in 1-24 hours depending on product)
- **CLEANING EQUIPMENTS:** Water and house detergent
- **APPLICATION METHOD:** Typically applied by brush, roller, or spray.

Pack Size: 20Kg



Date of Mfg	Sell by
JAN 01 17	JAN ☐
FEB 02 18	FEB ☐
MAR 03 19	MAR ☐
APR 04 20	APR ☐
MAY 05 21	MAY ☐
JUN 06 22	JUN ☐
JUL 07 23	JUL ☐
AUG 08 24	AUG ☐
SEP 09 25	SEP ☐
OCT 10 25	OCT ☐
NOV 11 27	NOV ☐
DEC 12 28	DEC ☐
13 29	
14 30	Days
15 31	01-15 ☐
16	16-31 ☐
	Year
2026 ☐	2026 ☐
2027 ☐	2027 ☐
2028 ☐	2028 ☐
2029 ☐	2029 ☐
2030 ☐	2030 ☐
2031 ☐	2031 ☐

Email: granitepaints@gmail.com
www.granitepaints.com



GRANITE PAINTS

WALL MASTER

20L

Irangi ryiza, ishema ryawe

GRANITE WALL MASTER is a Hight-perfor-
mance, often thick coating designed to pro-
tect walls from harsh weather conditions
while providing an aesthetically pleasing,
textured finishing that can last for many
years.

The final “design” depends on the applica-
tions technique used by the painters or ar-
chitect.

SCOMMON APPLICATIONS TECHNIQUES

Different patterns can be achieved using vari-
ous tools and methods, such as trowels,
floats, brushes, and sponges.

The designs are limited only by creativity
common designs include:

- **Vertical patterns**
- **Horizontal patterns**
- **Random textures**
- **Swirls or circular grain finishes especially
when combined with grit additive.**

The coatings often come in different thick-
ness (E.g. 1mm to 3mm grit sizes) to
accommodate the desired texture.

COMPOSITION:

Primarily 100% anacrylic palmers which
provide durability

Pack Size: 30Kg



Manufactured by: Granite Paints, Kigali - Kabuga - Masaka, KG 1969 St

TEL: (+250) 796150360 / (+250) 0735140728 / +47 462 13 871

Email: granitepaints@gmail.com

www.granitepaints.com

Date of Mfg	Sell by
JAN 01 17	JAN ☐
FEB 02 18	FEB ☐
MAR 03 19	MAR ☐
APR 04 20	APR ☐
MAY 05 21	MAY ☐
JUN 06 22	JUN ☐
JUL 07 23	JUL ☐
AUG 08 24	AUG ☐
SEP 09 25	SEP ☐
OCT 10 25	OCT ☐
NOV 11 27	NOV ☐
DEC 12 28	DEC ☐
13 29	
14 30	Days
15 31	01-15 ☐
16	16-31 ☐
	Year
2026 ☐	2026 ☐
2027 ☐	2027 ☐
2028 ☐	2028 ☐
2029 ☐	2029 ☐
2030 ☐	2030 ☐
2031 ☐	2031 ☐



GRANITE
PAINTS

PIERRE DE FRANCE
VINYL BUDGET EMULSION

20L

Irangi ryiza, ishema ryawe

GRANITE BUDGET EMULSION PAINTS

offers cost-effective, water-based solutions for interior walls and ceilings, featuring quick drying times, low odor, and good coverage. Ideal for low-maintenance areas or rentals

SPECIFICATIONS:

GRANITE BUDGET EMULSION: An all-purpose, economic PVA-based paint for cement, plaster, and bricks.

INTERIOR SUPER CLEAN: A budget-friendly, easy-to-use option.

PREFERENCE: A popular, high-value choice for decorators.

PERFORMANCE: Typically, 2-3 coats are needed, with drying times often around 2-4 hours.

APPLICATION: Suitable for interior walls, ceilings, and in some cases, exterior use.

SUITABILITY

GRANITE BUDGET EMULSION

Interior & ceilings walls.
Plaster, brick, drywall, wallpaper

These paints are designed to be affordable alternatives to premium brands while still offering a decent, clean, and modern finish.

Pack Size: 20Kg

Date of Mfg	Sell by
JAN 01 17	JAN ☐
FEB 02 18	FEB ☐
MAR 03 19	MAR ☐
APR 04 20	APR ☐
MAY 05 21	MAY ☐
JUN 06 22	JUN ☐
JUL 07 23	JUL ☐
AUG 08 24	AUG ☐
SEP 09 25	SEP ☐
OCT 10 25	OCT ☐
NOV 11 27	NOV ☐
DEC 12 28	DEC ☐
13 29	
14 30	Days
15 31	01-15 ☐
16	16-31 ☐
	Year
2026 ☐	2026 ☐
2027 ☐	2027 ☐
2028 ☐	2028 ☐
2029 ☐	2029 ☐
2030 ☐	2030 ☐
2031 ☐	2031 ☐

Manufactured by: Granite Paints, Kigali - Kabuga - Masaka, KG 1969 St

TEL: (+250) 796150360 / (+250) 0735140728 / +47 462 13 871

Email: granitepaints@gmail.com

www.granitepaints.com



GRANITE PAINTS

UNDER COAT

20L

Irangi ryiza, ishema ryawe

Granite Under coat Paints is a crucial intermediate layer applied after primer (or directly on previously painted surfaces) and before the top-coat to create a smooth, durable, and uniform foundation. It serves as a bridge, improving the adhesion, appearance, and longevity of the final finish

PROPERTIES:

- Enhanced Adhesion
- Sealing & Uniformity
- Filling Minor Imperfections
- High Opacity/Hiding Power
- Flexibility
- Universal/Multi-Surface
- Coverage of 10-15m²/Litre

Drying Time: 1-2hours

Gloss Level: Matte or flat

Durability:
Extends the life of the paint

Cost-Effectiveness:
Reduces the amount of topcoats required, saving money.

Pack Size: 20Kg

Date of Mfg	Sell by
JAN 01 17	JAN ☐
FEB 02 18	FEB ☐
MAR 03 19	MAR ☐
APR 04 20	APR ☐
MAY 05 21	MAY ☐
JUN 06 22	JUN ☐
JUL 07 23	JUL ☐
AUG 08 24	AUG ☐
SEP 09 25	SEP ☐
OCT 10 25	OCT ☐
NOV 11 27	NOV ☐
DEC 12 28	DEC ☐
13 29	
14 30	Days
15 31	01-15 ☐
16	16-31 ☐
	Year
2026 ☐	2026 ☐
2027 ☐	2027 ☐
2028 ☐	2028 ☐
2029 ☐	2029 ☐
2030 ☐	2030 ☐
2031 ☐	2031 ☐



GRANITE PAINTS

SILK VINYL EMULSION

20L

EXTENDER BASE

Irangi ryiza, ishema ryawe

GRANITE SILK VINYL EMULSION EXTENDER

BASE, is a premium,water based interior paint known for its tough, washable, high-sheen finish, ideal for high-traffic areas like kitchens and bathrooms, offering excellent color retention and easy water cleanup, with drying times.

SPECIFICATIONS:

- **Finish:** High-sheen, silky finish (Semi-glo)
- **Type:** Premium water-based,co-polyemulsion
- **Use:** Interior walls and ceiling
- **Durability:** Extremely tough, washable and merits marks making ideal for hightraffic
- **Touch dry:** 1-2hours
- **Recoatable:** After 4hours
- **Coverage:** Up to 16m2 per litre on smooth surfaces (may vary)
- **Application:** Brush, Paint roller pad or airless spray.
- **Low color:** Yes
- **Voc content:** very low (E.g max 1g/L some version.

SUITABILITY

Granite silk vinyl emulsion extender base, is mainly suit Interior & ceilings walls. Plaster, bricks, drywall, wallpaper

APPLICATION NOTES

- **PREPARATION:** Prime bone surfaces, on provide painted surfaces, ensure boundness.
- **VENTILATION:** Ensure good ventilation during application and drying.
- **TEMPERATURE:** Do not apply below or with humidily over 80% Cleaning equipments with warm soapy water immediately after use.

Key species include a 1-2 hours touch dry, 4hours rewet up to 16m2/litre spread rate and vinyl aceta polymer binder.

Pack Size: 20Kg

Date of Mfg	Sell by
JAN 01 17	JAN ☐
FEB 02 18	FEB ☐
MAR 03 19	MAR ☐
APR 04 20	APR ☐
MAY 05 21	MAY ☐
JUN 06 22	JUN ☐
JUL 07 23	JUL ☐
AUG 08 24	AUG ☐
SEP 09 25	SEP ☐
OCT 10 25	OCT ☐
NOV 11 27	NOV ☐
DEC 12 28	DEC ☐
13 29	
14 30	Days
15 31	01-15 ☐
16	16-31 ☐
	Year
2026 ☐	2026 ☐
2027 ☐	2027 ☐
2028 ☐	2028 ☐
2029 ☐	2029 ☐
2030 ☐	2030 ☐
2031 ☐	2031 ☐

Manufactured by: Granite Paints, Kigali - Kabuga - Masaka, KG 1969 St
TEL: (+250) 796150360 / (+250) 0735140728 / +47 462 13 871

Email: granitepaints@gmail.com
www.granitepaints.com



GRANITE PAINTS

WEATHER GUARD EMULSION

20L
EXTENDER BASE

Irangi ryiza, ishema ryawe

GRANITE WHEATHER GUARD EMULSION-EXTENDER BASE, is a quality pure acrylic emulsion and Exterior based with maximum protection against harsh environment, with durability, flexibility and resistant to heavy rain as well as coastal conditions.

It features a luxurious satin smooth finish that makes ideal for interior and exterior application and makes it easy to clean.

SPECIFICATIONS:

- **Finish:** Ranges from matt to sheen
- **Recoat time:** 3-4 hours (Primer-coat) or 4 hours (primer-plast)
- **Coverage/spreading rate:** The spreading rate on the product's texture and the application method (E.g: a fine texture might cover 3m²/L while a course one might cover 1-1,5m²/L).
- **Base:** Water-based emulsion
- **Thinning:** supplied ready for use the fix coat can be thinned with up to 15% clean water if needed.
- **Application method:** Typically applied by brush, roller, or spray.

- **Water resistance:** This product features a hydrophobic properties creating a water tight barrier that resists moisture intrusion leaks and wind-driven rain.

APPLICATION NOTES

- **PREPARATION:** Prime bone surfaces, on provide painted surfaces, ensure soundness.
- **VAPORS PERMEABILITY:** Allows trapped water vapors to pass through the walls, which helps resist blistering.
- **DRYING & CURING:** Fast drying time (touch dry in approximately 30mins re-coating in 1-24 hours depending on product)
- **CLEANING EQUIPMENTS:** Water and house detergent
- **APPLICATION METHOD:** Typically applied by brush, roller, or spray.

Pack Size: 20Kg

Date of Mfg	Sell by
JAN 01 17	JAN ☐
FEB 02 18	FEB ☐
MAR 03 19	MAR ☐
APR 04 20	APR ☐
MAY 05 21	MAY ☐
JUN 06 22	JUN ☐
JUL 07 23	JUL ☐
AUG 08 24	AUG ☐
SEP 09 25	SEP ☐
OCT 10 25	OCT ☐
NOV 11 27	NOV ☐
DEC 12 28	DEC ☐
13 29	
14 30	Days
15 31	01-15 ☐
16	16-31 ☐
	Year
2026 ☐	2026 ☐
2027 ☐	2027 ☐
2028 ☐	2028 ☐
2029 ☐	2029 ☐
2030 ☐	2030 ☐
2031 ☐	2031 ☐

Manufactured by: Granite Paints, Kigali - Kabuga - Masaka, KG 1969 St
TEL: (+250) 796150360 / (+250) 0735140728 / +47 462 13 871

Email: granitepaints@gmail.com
www.granitepaints.com



GRANITE PAINTS

MFD:
EXP.D:

WOOD GLUE (Wood Adhesive)

4Kg

Irangi ryiza, ishema ryawe

Granite Paints Wood Adhesive is a specialized substance often polymeric, designed to create strong, durable bond between wood surface by penetrating fibers and chemically or physically linking them.

Type: Homopolymer-based wood adhes (PVA) co-polyemulsion

Appearance: White virous liquid/gel

Use: Bonding timber, polywood, black veneers, laminates

Key features: High bonding power quick drying low timber staining, easy water cleanup.

Application: By brush apply liberal to both surfaces let dry 2-3 minutes brine together, clamp firmly.

Drying time: 1-2hours to hard dry 4-8hours for full cure.

Cleaning: Water

Other directions

Pack size: 4kg

Store in a cool dry place.

Manufactured by: Granite Paints, Kigali - Kabuga - Masaka, KG 1969 St
TEL: (+250) 796150360 / (+250) 0735140728 / +47 462 13 871

Email: granitepaints@gmail.com
www.granitepaints.com



**GRANITE
PAINTS**

MFD:
EXP.D:

UNDER COAT

4L

Irangi ryiza, ishema ryawe

Granite Under coat Paints is a crucial intermediate layer applied after primer (or directly on previously painted surfaces) and before the topcoat to create a smooth, durable, and uniform foundation. It serves as a bridge, improving the adhesion, appearance, and longevity of the final finish

PROPERTIES:

- Enhanced Adhesion
- Sealing & Uniformity
- Filling Minor Imperfections
- High Opacity/Hiding Power
- Flexibility
- Universal/Multi-Surface
- Coverage of 10-15m²/Litre

Drying Time: 1-2hours

Gloss Level: Matte or flat

Durability:

Extends the life of the paint

Cost-Effectiveness:

Reduces the amount of topcoats required, saving money.

Pack Size: 4Kg

Manufactured by: Granite Paints, Kigali - Kabuga - Masaka, KG 1969 St
TEL: (+250) 796150360 / (+250) 0735140728 / +47 462 13 871

Email: granitepaints@gmail.com
www.granitepaints.com



GRANITE PAINTS

SILK VINYL EMULSION

10L
WHITE

Irangi ryiza, ishema ryawe

GRANITE SILK VINYL EMULSION is a premium, water-based interior paint known for its tough, washable, high-sheen finish, ideal for high-traffic areas like kitchens and bathrooms, offering excellent color retention and easy water cleanup, with drying times.

SPECIFICATIONS:

- **Finish:** High-sheen, silky finish (Semi-glo)
- **Type:** Premium water-based, co-polyemulsion
- **Use:** Interior walls and ceiling
- **Durability:** Extremely tough, washable and merits marks making ideal for high-traffic
- **Touch Dry:** 1-2 hours
- **Recoatable:** After 4 hours
- **Coverage:** Up to 16m² per litre on smooth surfaces (may vary)
- **Application:** Brush, Paint roller pad or airless spray.
- **Low color:** Yes
- **Voc content:** very low (E.g max 1g/L some version).

SUITABILITY

GRANITE SILK VINYL EMULSION is mainly suitable for Interior & ceilings walls. Plaster, bricks, drywall, wallpaper

APPLICATION NOTES

- **PREPARATION:** Prime bare surfaces, on provide painted surfaces, ensure bondness.
- **VENTILATION:** Ensure good ventilation during application and drying.
- **TEMPERATURE:** Do not apply below or with humidity over 80% Cleaning equipments with warm soapy water immediately after use.

Key species include a 1-2 hours touch dry, 4 hours rewet up to 16m²/litre spread rate and vinyl acetate polymer binder.

Pack Size: 10Kg

Date of Mfg	Sell by
JAN 01 17	JAN ☐
FEB 02 18	FEB ☐
MAR 03 19	MAR ☐
APR 04 20	APR ☐
MAY 05 21	MAY ☐
JUN 06 22	JUN ☐
JUL 07 23	JUL ☐
AUG 08 24	AUG ☐
SEP 09 25	SEP ☐
OCT 10 25	OCT ☐
NOV 11 27	NOV ☐
DEC 12 28	DEC ☐
13 29	
14 30	Days
15 31	01-15 ☐
16	16-31 ☐
	Year
2026 ☐	2026 ☐
2027 ☐	2027 ☐
2028 ☐	2028 ☐
2029 ☐	2029 ☐
2030 ☐	2030 ☐
2031 ☐	2031 ☐

Manufactured by: Granite Paints, Kigali - Kabuga - Masaka, KG 1969 St
TEL: (+250) 796150360 / (+250) 0735140728 / +47 462 13 871

Email: granitepaints@gmail.com
www.granitepaints.com



GRANITE PAINTS

WEATHER GUARD EMULSION

10L

Irangi ryiza, ishema ryawe

GRANITE WHEATHER GUARD EMULSION, is a quality pure acrylic emulsion and Exterior based with maximum protection against harsh environment, with durability, flexibility and resistant to heavy rain as well as coastal conditions.

It features a luxurious satin smooth finish that makes ideal for interior and exterior application and makes it easy to clean.

SPECIFICATIONS:

- **Finish:** Ranges from matt to sheen
- **Recoat time:** 3-4 hours (Primer-coat) or 4 hours (primer-plast)
- **Coverage/spreading rate:** The spreading rate on the product's texture and the application method (E.g: a fine texture might cover 3m²/L while a course one might cover 1-1,5m²/L).
- **Base:** Water-based emulsion
- **Thinning:** supplied ready for use the fix coat can be thinned with up to 15% clean water if needed.
- **Application method:** Typically applied by brush, roller, or spray.

- **Water resistance:** This products features a hydrophobic properties creating a water tight barrier that resists moisture intrusion leaks and wind-driven rain.

APPLICATION NOTES

- **PREPARATION:** prime bone surfaces, on provide painted surfaces, ensure boundness.
- **VAPORS PERMEABILITY:** Allows trapped water vapors to pass through the walls, which helps resist blistering.
- **DRYING & CURING:** Fast drying time (touch dry in approximately 30mins recoating in 1-24 hours depending on product)
- **CLEANING EQUIPMENTS:** Water and house detergent
- **APPLICATION METHOD:** Typically applied by brush, roller, or spray.

Pack Size: 10Kg

Date of Mfg	Sell by
JAN 01 17	JAN ☐
FEB 02 18	FEB ☐
MAR 03 19	MAR ☐
APR 04 20	APR ☐
MAY 05 21	MAY ☐
JUN 06 22	JUN ☐
JUL 07 23	JUL ☐
AUG 08 24	AUG ☐
SEP 09 25	SEP ☐
OCT 10 25	OCT ☐
NOV 11 27	NOV ☐
DEC 12 28	DEC ☐
13 29	
14 30	Days
15 31	01-15 ☐
16	16-31 ☐
	Year
2026 ☐	2026 ☐
2027 ☐	2027 ☐
2028 ☐	2028 ☐
2029 ☐	2029 ☐
2030 ☐	2030 ☐
2031 ☐	2031 ☐

Manufactured by: Granite Paints, Kigali - Kabuga - Masaka, KG 1969 St
TEL: (+250) 796150360 / (+250) 0735140728 / +47 462 13 871

Email: granitepaints@gmail.com
www.granitepaints.com



GRANITE PAINTS

VINYL MATT EMULSION

10L

Irangi ryiza, ishema ryawe

GRANITE MATT VINYL EMULSION is a water based interior paint offering a flat, non-reflective finish, great coverage and low color (especially breatheasy versions) suitable for walls, ceilings, drying touch-dry in 1-2hours, recoatable in 4hours, and known for durability and easy application with brushes, rollers or pads, often being 99% solvent-free and good for sensitive users.

SPECIFICATIONS:

- **Finish:** Flat matt(non-reflective)
- **Base:** Water based
- **Coverage:** Approx 14-17m2 per litre (varies by surface)
- **Drying time:** Touch only in 1-2hrs, recoat in 4hours, under Normal conditions
- **Application:** Brush, Roller paint pad
- **Voc content:** Low (e.g.max 22g/l for trade matt)
- **Features:** Tough, durable, excellent opacity, good color retention, easy to clean(wipeable)

SUITABILITY

GRANITE MATT VINYL EMULSION is mainly suit for Interior & ceilings walls, Plaster, bricks, drywall, wall-paper

APPLICATION NOTES

• **PREPARATION:** Prime bone surfaces, on provide painted surfaces, ensure bound-ness.

• **VENTILATION:** Ensure good ventilation during application and drying.

• **TEMPERATURE:** Do not apply below or with humidily over 80% Cleaning equipments with warm soapy water immediately after use.

Key species include water-based composition excellent opacity good color retention and application on plaster, brick and wallpaper with spreads around 14-17m2 per litre.

Pack Size: 10Kg

Date of Mfg	Sell by
JAN 01 17	JAN ☐
FEB 02 18	FEB ☐
MAR 03 19	MAR ☐
APR 04 20	APR ☐
MAY 05 21	MAY ☐
JUN 06 22	JUN ☐
JUL 07 23	JUL ☐
AUG 08 24	AUG ☐
SEP 09 25	SEP ☐
OCT 10 25	OCT ☐
NOV 11 27	NOV ☐
DEC 12 28	DEC ☐
13 29	
14 30	Days
15 31	01-15 ☐
16	16-31 ☐
	Year
2026 ☐	2026 ☐
2027 ☐	2027 ☐
2028 ☐	2028 ☐
2029 ☐	2029 ☐
2030 ☐	2030 ☐
2031 ☐	2031 ☐

Manufactured by: Granite Paints, Kigali - Kabuga - Masaka, KG 1969 St

TEL: (+250) 796150360 / (+250) 0735140728 / +47 462 13 871

Email: granitepaints@gmail.com

www.granitepaints.com



GRANITE PAINTS

PIERRE DE FRANCE
VINYL BUDGET EMULSION

10L

Irangi ryiza, ishema ryawe

GRANITE BUDGET EMULSION PAINTS

offers cost-effective, water-based solutions for interior walls and ceilings, featuring quick drying times, low odor, and good coverage. Ideal for low-maintenance areas or rentals

SPECIFICATIONS:

GRANITE BUDGET EMULSION: An all-purpose, economic PVA-based paint for cement, plaster, and bricks.

INTERIOR SUPER CLEAN: A budget-friendly, easy-to-use option.

PREFERENCE: A popular, high-value choice for decorators.

PERFORMANCE: Typically, 2-3 coats are needed, with drying times often around 2-4 hours.

APPLICATION: Suitable for interior walls, ceilings, and in some cases, exterior use.

SUITABILITY

GRANITE BUDGET EMULSION

Interior & ceilings walls.
Plaster, brick, drywall, wallpaper

These paints are designed to be affordable alternatives to premium brands while still offering a decent, clean, and modern finish.

Pack Size: 10Kg

Date of Mfg	Sell by
JAN 01 17	JAN ☐
FEB 02 18	FEB ☐
MAR 03 19	MAR ☐
APR 04 20	APR ☐
MAY 05 21	MAY ☐
JUN 06 22	JUN ☐
JUL 07 23	JUL ☐
AUG 08 24	AUG ☐
SEP 09 25	SEP ☐
OCT 10 25	OCT ☐
NOV 11 27	NOV ☐
DEC 12 28	DEC ☐
13 29	
14 30	Days
15 31	01-15 ☐
16	16-31 ☐
	Year
2026 ☐	2026 ☐
2027 ☐	2027 ☐
2028 ☐	2028 ☐
2029 ☐	2029 ☐
2030 ☐	2030 ☐
2031 ☐	2031 ☐

Manufactured by: Granite Paints, Kigali - Kabuga - Masaka, KG 1969 St
TEL: (+250) 796150360 / (+250) 0735140728 / +47 462 13 871

Email: granitepaints@gmail.com
www.granitepaints.com